

DR 900 HANDHELD COLORIMETER



Applications

- Drinking Water
- Wastewater
- Industrial Water



Fastest and simplest water testing for the most demanding field environments.

The hand-held DR 900 allows quick and easy access to your most-used testing methods. This colorimeter is waterproof, dustproof and field durable. With an intuitive user interface, easy data transfer abilities, and the ability to test up to 90 of the most commonly tested water methods, the DR 900 makes water testing in harsh field environments a little less challenging.

Your Favorites at Your Fingertips

Save time by storing your most standard methods for quick access in less than 4 clicks.

Field Ready in Every Way Possible

This hand-held, rugged colorimeter is waterproof and dustproof. Drop tested and shock resistant for greater quality assurance.

Intuitive User Interface

Improved user interface allows quick selections and easier testing.

Simple Data Communication

Stores data for up to 500 tests, and comes with a USB port for easily downloading or transferring information.

Satisfies Your Core Testing Needs

A single hand-held instrument provides access to 90 of the most common parameters.



Be Right™

Specifications*

Source Lamp	Light Emitting Diode (LED)
Wavelength Range	420 nm, 520 nm, 560 nm, 610 nm
Wavelength Selection	Automatic
Operating Mode	Transmittance (%), Absorbance and Concentration
Sample Cell Compatibility	1 inch round or 16 mm round (with adapter)
Data Logger	500 measured values (Result, Date, Time, Sample ID, User ID)
Enclosure Rating	IP67 (vial cover closed)
Battery Requirements	4, AA size alkali cells
Battery Life	6 months (typical) @ 5 readings a day / 5 days / week without backlight**
	** Backlight usage will decrease battery life.
Display	Graphical display 240 x 160 pixel (Backlit)

User Interface Languages

English, French, German, Italian, Spanish, Portuguese, Bulgarian, Chinese, Czech, Danish, Dutch, Finnish, Greek, Hungarian, Japanese, Korean, Polish, Romanian, Russian, Slovenian, Swedish, Turkish

Interface

USB type Mini IP67

Dimensions (H x W x D)

9.1 in x 3.8 in x 1.9 in
(231 mm x 96 mm x 48 mm)

Weight

1.32 lbs. (0.6 kg) with battery

Includes

DR 900 Colorimeter, two 1-inch glass sample cells marked at 10, 20 and 25 mL, two 1 cm plastic sample cells, 1 x 16-mm COD/Test 'N Tube™ adapter, 4 AA alkaline batteries, printed multilingual instrument manual, instrument and procedure manuals on CD, USB Mini to USB Cable, European CE mark.

**Subject to change without notice.*

Ordering Information

9385100 DR 900 Handheld Colorimeter

Accessories

- 2722000** Instrument Carrying Case, soft-sided, with shoulder strap
- 4942500** Instrument Carrying Case, hard-sided, style G
- 4943000** CEL Portable Laboratory Carrying Case
- 2763900** DR/Check Absorbance Standard Kit (Set of 4)
- 2635300** SpecCheck Secondary Gel Standards Set, DPD Chlorine - LR
- 2980500** SpecCheck Secondary Gel Standards Set, DPD Chlorine - MR
- 2893300** SpecCheck Secondary Gel Standards Set, DPD Chlorine - HR
- 2712500** SpecCheck Gel Secondary Standard Set, Fluoride
- 2708000** SpecCheck Gel Secondary Standard Set, Ozone, MR
- 2507500** SpecCheck Secondary Gel Standards Set, Monochloramine & Free Ammonia.



HACH COMPANY World Headquarters: Loveland, Colorado USA

United States: 800-227-4224 tel 970-669-2932 fax orders@hach.com
 Outside United States: 970-669-3050 tel 970-461-3939 fax int@hach.com
hach.com

LIT2810

F13 Printed in U.S.A.

©Hach Company, 2013. All rights reserved.

In the interest of improving and updating its equipment,

Hach Company reserves the right to alter specifications to equipment at any time.



Distribuidor autorizado de HACH en:

 Argentina

Tel: (+54 11) 5352 2500

Email: info@dastecsr.com.ar

Web: www.dastecsr.com.ar

 Uruguay www.dastecsr.com.uy

 Paraguay www.dastecsr.com.py